






- 1 IGNITIONS & ELECTRONICS
- 7 VALVE COVERS
- 11 FUEL PUMPS
- 13 COOLING
- 16 EXHAUST
- 17 '32 FORD
- 19 FLOOR MATS





HEI Distributors

Features high-output 50,000 Volt Ignition Coil 65,000 Volt for Chevy HEI (JM6500 & JM6501) Improved high performance module Brass bushings Adjustable vacuum advance Brass terminals Machine polished aluminum housing Chromoly steel gear Simple 1-Wire hook up For use up to 7000 RPM



*New Product

Description	Part#
Chevy SB/BB V8, Super Cap	JM6500
Chevy SB/BB V8, OEM Cap	JM6501
Ford 289/302 V8	JM6502
Oldsmobile V8	JM6503
Pontiac V8	JM6504
Ford 351C / 460 V8	JM6506
Ford FE 332-428 (New Product)*	JM6508*
Ford 351 Windsor V8	JM6510
AMC Jeep V6 232-258	JM6511
Jeep V8 290-401	JM6512
Chevy Corvette V8 Tach Drive	JM6515
Chevy SB/BB V6, Super Cap	JM6520
Chevy SB/BB V6, OEM Cap	JM6521
Chevy SB/BB Inline-6, Super Cap	JM6522
Chevy SB/BB Inline-6, OEM Cap	JM6523



Pro-Billet Distributors



Description	Part#
Chevy SB/BB V8	JM6601
Ford 289/302 V8	JM6602
Ford 351C/460 V8	JM6606
Ford 351 Windsor V8	JM6610
Chrysler SB V8	JM6613
Chrysler BB V8	JM6614

Magnetic pickup Sealed upper ball bearing assembly CNC machine billet aluminum housing Requires external coil and ignition box For use up to 9000 RPM

Available in Red and Blue caps



Ready-to-Run Distributors



Description	Part#
Chevy SB/BB V8	JM6701
Ford 289/302 V8	JM6702
Ford 351C/460 V8	JM6706
Ford 351 Windsor V8	JM6710
Chrysler SB V8	JM6713
Chrysler BB V8	JM6714

Magnetic pickup
Built-in ignition module
Sealed upper ball bearing assembly
Cast aluminum housing
Simple 2-Wire hook-up
Requires an external coil
For use up to 9000 RPM

Available in Red and Blue caps



7



Late Model Distributors

Direct OEM replacement Improved design over stock distributors







Description	Part#
'92-'94 GM LT1 Optispark Distributor	JM6505
'95-'97 GM LT1 Optispark Distributor	JM6507
'86-'95 GM 262 V6 Engines w/ EFI	JM6651
'81-'93 GM 305-454 V8 Engines w/ EFI	JM6652
'96-'07 GM 4.3L 262 V6 Engines	JM6671
'96-'02 GM 5.7L 350 & 5.0L 305 V8 Engines	JM6672
'96-'00 GM 7.4L 454 V8 Engines	JM6673

Starter Motors

Chevy

Chevy		m 1) 3 m
Description	Part#	
SB/BB 3.0 HP Tilton Style	JM7001	. ,
Available in Red, Black, and Chrome		
SB/BB Delco Style, 168 Flywheel SB/BB Delco Style, 153 Flywheel	JM7002 JM7003	JM7001R
Available in Black, Chrome and Zinc		



PMGR, High Torque Gear Reduction, A/T Trans.	JM7031
PMGR, High Torque Gear Reduction, Manual Trans.	JM7032

Available in Black, Blue and Chrome



Alternators

Description

GM 10SI Type 105 Amp (1 and 3 wire) GM CS-130, 105 Amp 1 wire, V-Belt, GM CS-130, 105 Amp 1 wire, Serpentine Ford 1G Series, 105Amp, External Regulator

Part#

ES1001C ES1002C ES1003C ES1031C



Alternator Accessories

Bracket Kits





Description

Alternator Bracket Kit - SBC LWP
Alternator Bracket Kit - SBC LWP
Alternator Bracket Kit for SBF 260 289 302
Alternator Bracket Kit for SBF 260 289 302

Part#

JM9101P JM9101C

JM9111P

JM9111C

Available in Chrome and Polished Aluminum

Throttle Accessories

Bracket Kit



Throttle Bracket Assembly, Blue
Throttle Bracket Assembly, Polished
Throttle Bracket Assembly, Red
Throttle Bracket Assembly, 2-Tone Red/Blue

JM3101BL JM3101P JM3101R JM3101RBL

4



Distributor Accessories Wire Management

Description	Part#	
Chromed Billet Aluminum	JM9001C	
Wire Loom Set (9.5mm, Smooth)		1.4
Polished Billet Aluminum Wire Loom Set (9.5mm, Smooth)	JM9001P	
Chromed Billet Aluminum Wire Loom Set (9.5mm, Ball-Milled)	JM9002C	
Polished Billet Aluminum Wire Loom Set (9.5mm, Ball-Milled)	JM9002P	JM9002C

'92-'94 Optispark Harness Cable '95-'97 Optispark Harness Cable



Modules & Coils

Description	Part#
HEI Ignition Coil - 50,000 V	JM6910
HEI Distributor 4-Pin Module	JM6917
Ready-to-Run Module	JM6932





Distributor Acccessories

Wire Retainers

Description

HEI Wire Retainer, Red HEI Wire Retainer, Blue HEI Wire Retainer, Black

Part#

JM6908R JM6908BL JM6908BK



Description

HEI 8-Cylinder Cap & Rotor Kit (Super Cap) HEI 8-Cylinder Cap & Rotor Kit (OEM Cap) HEI 6-Cylinder Cap & Rotor Kit (Super Cap) HEI 6-Cylinder Cap & Rotor Kit (OEM Cap)

Part#

JM6950 JM6951 JM6952 JM6953







Available in Red, Black, Blue and Clear caps

Description

Pro-Billet/R2R 8 Cylinder Cap & Rotor Kit (Male Cap)

Pro-Billet/R2R 8 Cylinder Cap & Rotor Kit (Female Cap)

Part#

JM6971

JM6972





Available in Red and Blue caps

'92-'94 GM LT1 Optispark Cap & Rotor Kit '95-'97 GM LT1 Optispark Cap & Rotor Kit

JM6981 JM6982





Tall Fabricated Aluminum Valve Covers Chevy Small Block





Application	Pattern	Hole	Baffled	l Part#
LS1 Fabricated, Polished	Center Bolt	Yes	Yes	JM8081-6
SBC 5.0-5.7L ('87 - '97)	Center Bolt	No	No	JM8091-1
SBC 283-350 ('58 - '86)	Long Bolt	No	No	JM8091-2
SBC 283-350 ('58 - '86)	Short Bolt	No	No	JM8091-3
SBC 283-350 ('58 - '86)	Long Bolt	Yes	Yes	JM8091-7
SBC 283-350 ('58 - '86)	Short Bolt	No	No	JM8091-8

Bolt





Chevy Big Block

	Bolt	Breather	i	
Application	Pattern	Hole	Baffled	Part#
BBC 396-502 ('65 - '95)	Long Bolt	No	No	JM8092-2
BBC 396-502 ('65 - '95)	Short Bolt	No	No	JM8092-3
BBC 396-502 ('65 - '95)	Long Bolt	Yes	Yes	JM8092-7
BBC 396-502 ('65 - '95)	Short Bolt	Yes	Yes	JM8092-8

Available in Natural, Chrome and Polished



Tall Fabricated Aluminum Valve Covers

Ford







Application	Bolt Pattern	Breather Hole	Baffled	Part#
Application				
	Long Bolt	No	No	JM8093-2
SBF 260-351W	Short Bolt	No	No	JM8093-3
	Long Bolt	Yes	Yes	JM8093-7
5.0L ('62 - '85)	Short Bolt	Yes	Yes	JM8093-8
SBF 289-351W	Long Bolt	Yes	Yes	JM8041-7
Tapered Edge	Short Bolt	Yes	Yes	JM8041-8
BBF 429-460	Long Bolt	No	No	JM8094-2
BBF 429-460	Short Bolt	No	No	JM8094-3

Available in Natural, Chrome and Polished

MOPAR

	Bolt	Breather		
Application	Pattern	Hole	Baffled	Part#
SB MOPAR	Long Bolt	Yes	Yes	JM8096-7
BB MOPAR	Long Bolt	Yes	Yes	JM8097-7
BB MOPAR	Short Bolt	Yes	Yes	JM8097-8





JM8097-7



Available in Natural, Chrome and Polished



Circle Track Fabricated Aluminum Valve Covers

Chevy



	Bolt	Breather		
Application	Pattern	Hole	Baffled	Part#
SBC 283-350 ('58 - '86) SBC 283-350 ('58 - '86)	Long Bolt Long Bolt	No Yes	No Yes	JM8201-2 JM8201-7
BBC 396-502 ('65 - '95)	Long Bolt	No	No	JM8202-2

Application	Bolt Pattern	Breather Hole	Baffled	Part#
SB Ford 260-351W 5.0L ('62 - '85)	Long Bolt	No	No	JM8203-2

Available in Natural, Chrome and Polished

Tall Cast Aluminum Valve Covers Chevy

JM8121-8P

	Bolt	Breathe	r		
Application	Pattern	Hole	Baffled	Part#	Style
SBC 5.0-5.7L ('87-'97)	Center Bolt	Yes	Yes	JM8121-6	Plain
SBC 283-350 ('58 - '86)	Short Bolt	Yes	Yes	JM8111-8	Plain
BBC 396-502 ('65 - '95)	Short Bolt	Yes	Yes	JM8112-8	Plain
SBC 283-350 (58-86)	Short Bolt	Yes	Yes	JM8121-8	Ball Milled
BBC 396-502 ('65 - '95)	Short Bolt	Yes	Yes	JM8122-8	Ball Milled

Ford

Amplication	Dottown	Dieather		D4#	Ct.do
Application	Pattern	Hole	Baffled	Part#	Style
SBF 221-351W	Short Bolt	Yes	Yes	JM8123-8	Ball Milled
BBF 351-400	Short Bolt	Yes	Yes	JM8124-8	Ball Milled
BBF 429-460	Short Bolt	Yes	Yes	JM8125-8	Ball Milled
			. 05		



Retro Tall Cast Aluminum Valve Covers Chevy



Available in Chrome and Polished

	Bolt	Breather			
Application	Pattern	Hole	Baffled	Part#	Style
SBC 283-350 ('58-'86)	Short Bolt Short Bolt Short Bolt Short Bolt	Yes Yes Yes Yes	Yes Yes Yes Yes	JM8211-8 JM8221-8 JM8231-8 JM8241-8	Plain Ball Milled Flame Ball Milled
Ford SBF 289-351W Tapered Edge Tall	Short Bolt Short Bolt	Yes Yes	Yes Yes	JM8241-8 JM8251-8	Plain Ball Milled

Tall Finned Valve Covers Chevy

	BOIT	breatner		
Application	Pattern	Hole	Baffled	Part#
SBC 5.0-5.7L ('87 - '97)	Center Bolt	Yes	Yes	JM8501-6
SBC 283-350 ('58 - '86)	Short Bolt	Yes	Yes	JM8501-8
BBC 396-502 ('65 - '95)	Short Bolt	Yes	Yes	JM8502-8

Finned Ford Valve Covers

SBF 289 - 351W Short Bolt Yes Yes JM8513-8 Stock Height



10

Available in Polished

866-877-9988

Mechanical Fuel Pumps








Designed to outperform OEM pumps Delivers up to 80 GPH (free flow) with 8 PSI Chrome plated aluminum housing 1/4" NPT inlet/outlet ports

JM1007C















Electronic Fuel Pumps



Designed for Street/Track use Delivers up to 140 GPH (free flow) with 14 PSI max Aluminum housing with chrome accent 3/8" NPT inlet/outlet ports

Description	Part#
115 GPH Electric Fuel Pump	SP1001
130 GPH Electric Fuel Pump	SP1002
140 GPH Electric Fuel Pump	SP1003

COOLING

Universal Aluminum Radiators

Constructed from light weight aluminum and machine TIG welded High efficient Two-Row (2 X 1" tubes) Cross-flow design 1-1/2"inlet / 1-3/4" Outlet, & Billet Aluminum neck 17 fins per inch provides maximum cooling capability Aluminum, 2-Row Core, xx fin/inch

Descrip	tion
---------	------

Chevy

31"Wx19"Hx2-1/4"D
29"Wx19"Hx2-1/4"D
27"Wx19"Hx2-1/4"D
24"Wx19"Hx2-1/4"D
22"Wx19"Hx2-1/4"D

Part#



HC6001

Ford

31"Wx19"Hx2-1/4"D
29"Wx19"Hx2-1/4"D
27"Wx19"Hx2-1/4"D
24"Wx19"Hx2-1/4"D
22"Wx19"Hx2-1/4"D

866-877-9988

HC6006 HC6007 HC6008 HC6009 HC6010



www.topstreetperformance.com



Radiator Fans

Part#
HC6101
HC6102
HC6103
HC6104
HC6105

Reversible S-Blade Design Configured as a Puller but can be converted into a Pusher Universal fit Mounting kit included





Pro Series Radiator Fans

Description	Part#
ProSeries Universal 10"	HC7102
ProSeries Universal 12"	HC7103
ProSeries Universal 14"	HC7104
ProSeries Universal 16"	HC7105
ProSeries Dual 11" Fan	HC7106

HC7105

Reversible S-Blade Design
Configured as a Puller but can
be converted into a Pusher
Universal fit
Mounting Kit included
Computer balanced blades reduces
vibration and noise
Heavy duty one-piece construction
blades provide stability
Permanent magnet motor







STAINLESS STEEL RADIATOR OVERFLOW TANKS





SIZE	CAPACITY	PART#
2 10	1.4	1166221
2"x10"	14 oz	HC6321
2"x13"	18 oz	HC6322
2"x15"	22 oz	HC6323
2"x17"	26 oz	HC6324
2"x19"	30 oz	HC6325
3"x9"	24 oz	HC6326
3"x10"	34 oz	HC6327
3"x16"	52 oz	HC6328

STAINLESS STEEL HEATER & RADIATOR HOSE KIT

Description

48" Radiator Hose Kit, Chrome 44" Heater Hose Kit, Chrome

Part#

HC6304C HC6310C





FINNED ALUMINUM TRANSMISSION COOLER



Description	Part#
Transmission Cooler - 12"	HC4311
Transmission Cooler - 15"	HC4312
Transmission Cooler - 18"	HC4313
Transmission Cooler - 20"	HC4314
Transmission Cooler - 22"	HC4315
Transmission Cooler (Dual Pass) - 12"	HC4321
Transmission Cooler (Dual Pass) - 15"	HC4322
Transmission Cooler (Dual Pass) - 18"	HC4323
Transmission Cooler (Dual Pass) - 20"	HC4324
Transmission Cooler (Dual Pass) - 22"	HC4323

A/C Compressor

Description	Part#
(Sanden 508) V-Belt w/ Black Clutch	HC5001C
(Sanden 508) Serpentine w/ Black Clutch	HC5002C
(Sanden 508) V-Belt w/ Chrome Clutch	HC5003C
(Sanden 508) Serpentine w/ Chrome Clutch	HC5004C







Aluminum Water Pump





Application	Part#	Shaft	Pilot
SB Chevy 265-350, Short Style	HC8011	3/4"	5/8"
SB Chevy 265-350, Long Style	HC8012	3/4"	5/8"
BB Chevy 396-454, Short Style	HC8021	3/4"	5/8"
BB Chevy 396-454, Long Style	HC8022	3/4"	5/8"
SB Chevy 265-350, Short Style	HC9011	3/4"	3/4"

Light 356-T aluminum alloy housing 8-blade cast aluminum anti-cavitation impeller Heavy duty bearing and seal assembly 40% more flow than stock pumps Ideal for both street and performance applications

Available in Polished and Satin

EXHAUST





Part#

-	
1955-1957 Tri 5 Shorty Header Set, Stainless Steel	JM002SS
1958 & up SBC Hugger Shorty Header Set, Stainless Steel	JM004SS
1967-1981 SBC 283-400 Header Set, Stainless Steel	JM005SS
1988-1995 Chevy Truck Header Set, Stainless Steel	JM023SS
Ford 289 302 351 With 5.0 Header Set, Stainless Steel	JM051SS

Flex Pipe

Description	Part#
Flex Pipe - 3" x 6" x 10"	EH3013
Flex Pipe - 2 1/2" x 6" x 10 1/2"	EH3015
Flex Pipe - 3" x 10" x 12"	EH3016
Flex Pipe - 2 1/4" x 10" x 14"	EH3017
Flex Pipe - 2 1/2" x 10" x 14"	EH3018
Flex Pipe - 2 1/4" x 6" x 10 1/2"	EH3021

Description



EH3013





Grill and Shell

	Crank	
Application	Hole	Part#
'32 Ford Shell	No	AC1001
'32 Ford Shell	Yes	AC1002
'32 Ford Stainless Steel Insert	No	AC1003
'32 Ford Stainless Steel Insert	Yes	AC1004



Radiators


Description

2 Row "Hi Boy" 2 Row "Lo Boy"



Part#

HC6051 HC6052



17



Suspension

Description	Part#
Triangulated 4-Link Rear-End Kit, Steel	CB5101
Triangulated 4-Link Rear-End Kit, Stainless Steel	CB5102



FLOOR MATS

Universal









TCM103 Available Color







Size Front: 29 x 21 Rear: 15 x 54



APM104CL

Black Gray Beige



Size Front: 26x 17 Rear: 14 x 16.5









ARM301

Available Color





Front:28x17.5 Rear: 17.14x51.5









APM404CL Available Color

Size





APM105CL

Available Color

Size Front:26x 19 Rear: 15 x 17



ACM104 Available Color













Size Front: 27.95 x 17.52 Rear: 17.13 x 17.90



Top Street Performance Terms and Policies

New Accounts

All new customers are required to submit a New Account Application along with a copy of their business license within the United States. All California based companies MUST attach a copy of the original California Resale Certificate for proof of resale status in order to obtain tax exemption. Failure to submit/update these files with Top Street Performance (TSP) will result in Sales tax be imposed on all shipments (currently 9.75% in Los Angeles - County, CA). All new accounts will have a choice of billing (credit card, money order or bank wire) until qualified for terms.

Payment Terms

All merchandise is payable by cashier check, money order, credit card, or wire prior to shipping order. If credit terms are granted after the customer is authorized to apply for credit by TSP, once approved will be subject to additional condition and terms. All invoices must be paid prior to due date; there is no early payment discounts. All accounts past due will be put on credit hold and subject to late fee charges that will be strictly enforced and no future orders will be released until past due amount is paid in full. TSP does reserve the right to revoke terms or close an account if not kept in good standing. Any account that has a check return for "NSF" or "stop payment" will be subject to a \$40 check return fee. In addition, customers may lose their "open" account status and have an account changed to "pay before shipping" terms, which will require a certified check to be sent to TSP prior to shipment of future orders.

Orders/Backorders

Orders can be placed via phone, fax, or emails to TSP. Each line item must meet the minimum quantity ("case quantity"). All "drop shipment" orders will be assessed a \$15 handling fee. Any parts not in stock will be placed on back order and will not be charged until parts are shipped. All back orders are confirmed with the customer once restocked at TSP to be shipped after that date. Back orders can be canceled at any time. TSP reserves the right to change prices or services without prior notification.

Delivery/Freight

Orders will be shipped out either "F.O.B TSP" or "Prepaid" depending if the order meets the qualified status. Prepaid orders must meet the minimum order amount for TSP to make said arrangements. Please call your account representative for additional information. Selection of trucking company will be determined and at the discretion of TSP. Customers will be responsible for any miscellaneous charges such as call for appointment, residential surcharges, customer manifest fees and charges for re-delivery due to not being available for initial delivery date. If customer requires special shipping or choice of carrier without approval from TSP, all freight charges will be the responsibility of their customer, no matter the value of the F.O.B. The customer may request to use own freight company. It is the customer's responsibility to verify the correct amount of cartons received in a shipment from TSP. If customer does not correctly adjust paperwork with the trucking company prior to signing the Bill of Landing, TSP will not honor any claims for carton shortages once the customer has signed shipping company's Bill of Landing.

Shortages/Claims

Any shortages on shipment must be reported to TSP within 48 hours of receipt of goods. If TSP is at fault, the claimed items will be re-shipped to the customer.




Top Street Performance Terms and Policies

It is the customer's responsibility to verify the Bill of Landing against actual number of cartons received. Credit will not be issued to a customer for carton shortages if the Bill of Lading has been signed for with the correct number of cartons being shipped. It is the customer's responsibility to take time and verify the number of cartons they receive on the Bill of Lading before signing freight document. Customers are not allowed to take any deduction on an original invoice when remitting payments to TSP. If there are any corrections to an invoice, TSP will issue a credit memo to customer.

Returns

All items returned require a return merchandise authorization number. A return authorization request form must be filled out completely with original invoice numbers and explanation clearly detailed on form prior to returning to TSP. Forms not completely filled will not be processed due to lack of information to expedite approval. TSP products only accept returns on merchandise within 90 days of purchase date. A copy of original invoice, return authorization number and packing slip must accompany return merchandise is required. Any return sent without an authorized return authorization number will not receive credit, or replacement of defective items issue. Packages received must be clearly marked return authorization number on the exterior of the box. All non-defective returns are subject to a 25% restocking fee. No cash, credit card or check refunds will be issued; credit toward merchandise only. Customer is responsible for return shipping fee charges. Orders placed by customer and refuse delivery will be subject to restocking fee and penalty fee in addition to return shipping charges.

STRE WERFORNACIO





12010 Woodruff Ave. Suite E Downey, California Phone: (562) 803 - 1999 Fax: (562) 803 - 6767

Toll Free: 1(866) 877-9988

WWW.TOPSTREETPERFORMANCE.COM